



A130

WINDOW PANE CARDIGAN JACKET  
IN CASCADE LANA BAMBU  
BY SUSIE BONELL



Lana Bambu Window Pane Jacket  
Designed by Susie Bonell

MATERIALS: Cascade Yarn's Lana Bambu: 8, 10 skeins  
Needles: Size 8  
Yarn needle  
6 Buttons

Gauge: 4.5 sts = 1", 6 rows = 1" (st st)

FINISHED MEASUREMENTS: 40", 50"

Window Pane Pattern

Row 1: (right side) K4, P6, \*K6, P6; rep from \*, end K4.  
Row 2: P4, K6 \*P6, K6; rep from \*, end P4  
Row 3, 5, 7, 9: K2, \*P2, K6, P2, K2; rep from \* to end.  
Row 4, 6, 8, 10: P2, \*K2, P6, K2, P2; rep from \* to end.  
Row 11: K4, P6, \*K6, P6, rep from \* end K4.  
Row 12: P4, K6, \*P6, K6, rep from \* end P4.  
Row 13: Knit.  
Row 14: Purl.  
Repeat 14 rows for pattern.

BACK

Cast on 98, 122 sts. Work in garter st (knit every row) for 1 ¼" ending on a wrong side row.  
Begin Window Pane Pattern and work until piece measures 27 ½", 30" or desired length to shoulders. Bind off all sts.

FRONTS

Cast on 50, 62 sts. Work in garter st for 1 ¼" ending on a wrong side row.  
Begin Window Pane Pattern and work until piece measures 23 ½", 25".  
Begin Neck Shaping: At neck edge, place 18, 21 sts on holder and continue in pattern until piece measures same as back. Bind off.  
Complete other front reversing shaping.

SLEEVES

Cast on 62, 74 sts and work in garter st for 1".  
Begin Window Pane Pattern with shaping as follows: Bringing new stitches into pattern, increase 1 st each side every 4<sup>th</sup> row 4, 12 times, then every 6<sup>th</sup> row to 94, 118 sts. Work until sleeve measures 17 ½", 19" or desired length to underarm. Bind off.

Sew shoulder seams. Sew sleeves onto body. Sew underarm seams.

Neck Edging:

With right side facing, knit stitches from holder, pick up and knit 1 st in corner and mark as corner st, pick up and knit 18, 29 sts along side neck, 1 st in each bound off st for back, 18, 29 sts along other side neck, 1 st in corner (mark as before) and sts on remaining holder.  
Work in garter st to 2 sts before corner st, k 2 tog, K corner st, ssk, work to next corner and K 2 tog, K corner st, ssk, work to end.  
On wrong side rows, K across to shoulder seam and K2 tog, K to next shoulder seam and K2 tog, K to end.  
Repeat these 2 rows for 1". Bind off.

Front Edging:

With right side facing, starting at neck edge for L front pick up and knit 118, 134 sts. Work in garter st for 1 ¼", bind off. Mark for button placement.

Repeat for R front starting at bottom edge. When the band is half the width place buttonholes corresponding to markings as follows: Bind off two stitches at placement site then cast on 2 sts above bound off sts on next row.

Weave in all ends. Sew on buttons.